



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/526,297	03/01/2005	Takeshi Matsuda	10921.0288USWO	6278
7590 07/16/2010 Hamre, Schumann, Mueller & Larson, P.C. P.O. Box 2902 Minneapolis, MN 55402-0902			EXAMINER WHITE, DENNIS MICHAEL	
			ART UNIT 1797	PAPER NUMBER
			MAIL DATE 07/16/2010	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/526,297

Applicant(s)

MATSUDA ET AL.

Examiner

DENNIS M. WHITE

Art Unit

1797

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 March 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,5-7 and 9-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3,5-7 and 9-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/GS/US)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3/25/2010 has been entered.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims **1, 3, 9-10** are rejected under 35 U.S.C. 102(e) as being anticipated by Anaokar et al (USP 7,494,818).

4. Regarding claims **1, 3, 9-10**, Anaokar et al teach a multilayer test strip and producing the test strip that measures concentrations of multiple analytes from a single whole blood sample comprising a top disbursement layer 38 ("water absorbent carrier"), a blood separation layer 40 ("penetration layer"), and stacks 42. Stacks 42 are exposed by holes 34 ("exposed upper surface") and comprise reagents that produce a colored

response (Fig. 4) ("plurality of coloration pads" "arranged in a matrix"). The stacks can be used to measure total cholesterol, glucose, and other analytes (col. 9 line 34-col. 10 line 34) ("wherein at least two of the plurality of coloration pads differ from each other with respect to coloration components for allowing measurement of a plurality of items"). Fluid flows in the layer 38 in the lateral direction, whereas the fluid flows only in the perpendicular direction in the layers 40 (col. 7 lines 58-65) ("penetration layer is formed with a plurality of thicknesswise extending pores for allowing the sample liquid to penetrate thicknesswise"). The disbursement layer 38 is exposed by window 32 ("non-laminated") in which the sample can be applied as well as not completely covered by the blood separation layer (Fig. 6: 110 does not fully cover layer 38).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

7. Claims 5-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Anaokar et al (USP 7,494,818) in view of Ray et al (USP 6,258,045).

Anaokar et al teach the limitations of claim 1 as per above.

Regarding claims 5-7, Anaokar et al teach the blood separation comprises pores that allow the fluid to pass only perpendicular to the plane of the membrane. Anaokar et al are silent that the plurality of pores have a size of 0.1 to 12 micrometers; wherein the porosity is 4 to 20%; and wherein the membrane is formed by track etching.

Ray et al teach a biological collection device comprising an application member 114 ("water absorbent carrier") facing a separation member 118 ("penetration layer is laminated on a water absorbent carrier that spreads the sample liquid in the planar direction of the water absorbent carrier for drawing up by the penetration layer") (Fig. 41) that can be track etched Cyclopore membrane material (col. 12 lines 40-45) ("porosity of 4 to 20%" is a property of the Cyclopore membranes). The pores are 0.2 to 5 microns in diameter. It is desirable to provide a blood separation layer that has track etched pores of 0.2 to 5 microns in size and with a porosity of 4 to 20% because it allows the separation of red blood cells from the analytes of interest.

Simple substitution of one known element for another to obtain predictable results is held to be obvious. Therefore, it would have been obvious to one of ordinary skill in the art to substitute the blood separation membrane of Anaokar et al with the blood separation membrane comprising track etched Cyclopore membrane material with 0.2 to 5 microns in diameter of Ray et al because they are known blood separation

membranes that flow liquid in a perpendicular direction and separate red blood cells from the analyte of interest to avoid inference of the cells during analysis.

8. Claims **11-12** are rejected under 35 U.S.C. 103(a) as being unpatentable over Anaokar et al (USP 7,494,818) in view of Iwata et al (US 2001/0028862).

Anaokar et al teach the limitations of claim 1 as per above.

Regarding claims **11-12**, Anaokar et al teach after the impregnation solution is added to the layer 102 ("coloration pad") the strips were slit into 0.2 inch (~5mm) strips in preparation for assembly. Anaokar et al is silent that the surface area of the coloration pad is 2.0~15mmx2.0~15mm wherein the specific region accounted for the respective coloration pads is no more than 2.0mm².

Iwata et al teach a test device and method of producing the device for a multi-items where in all the test papers for all items for one test are wetted by one shot dropping and transportation of a detecting part or a test device is not required upon measurement. The reaction zone for the horizontal line is preferably 8mm to 2cm and the vertical line is preferably 4 to 10mm. The diameter of the micro test papers ("coloration pads") is being 0.5 mm ("wherein the surface area of the specific region accounted for by the respective coloration pads is no more than 2.0 mm²") (Para. 0082 and 0084). It would have been desirable to have the dimensions of the total surface area of the reaction zone and the micro test papers ("coloration pads") within this range because having the micro test papers size too large, it becomes difficult to wet the test papers for the whole items by one shot dropping of the sample (Para. 0084).

Therefore it would have been obvious to one of ordinary skill in the art to provide Gibson et al device with the dimension of the surface area of the region of the reaction zones or region ("the plurality of coloration pads") within 2.0-15 mm x 2.0-15 mm and wherein the surface area of the specific region accounted for by the respective coloration pads is no more than 2.0 mm² because it provides the above advantages of one shot dropping of the sample.

9. Claims **13-16** are rejected under 35 U.S.C. 103(a) as being unpatentable over Anaokar et al (USP 7,494,818) in view of Goerlach-Graw et al (USP 5,424,220).

Regarding claims **13-14**, Anaokar et al teach the impregnation of the reagents in the reaction layers is accomplished by submersing the membrane in the solution and then drying. Anaokar et al are silent that the reagent liquid is coated using a non-contact dispenser such as an injet type.

Goerlach-Graw et al teach an analysis element comprising a chromatographic porous carrier, reaction zone, detection zone, and absorptive zones. The reagents can be applied with screen printing or ink-jet printing (Abstract). It is desirable to use an ink-jet printing because it allows the application of smaller portions of reagent liquid in very small space in the form of compartments which are close together but nevertheless spatially separated (col. 6 lines 30-33).

Therefore it would have been obvious to one of ordinary skill in the art as motivated by Goerlach-Graw et al to use an ink-jet printer to print the reagents in place

of the submersing of Anaokar et al in order allow the application of smaller portions of reagent liquid in very small space in the form of compartments which are close together but nevertheless spatially separated.

Regarding claims **15-16**, Anaokar/Goerlach-Graw teach the reaction layers are in a matrix arrangement and at least two of the reaction layers differ from each other with respect to the coloration components (col. 9 line 34-col. 10 line 34)

10. Claims **17-19** are rejected under 35 U.S.C. 103(a) as being unpatentable over Anaokar et al (USP 7,494,818) in view of Goerlach-Graw et al (USP 5,424,220) and further in view of Iwata et al (US 2001/0028862).

Anaokar/Goerlach-Graw teach the limitations of claim 13 as per above.

Regarding claims **17-18**, Anaokar/Goerlach-Graw teach after the impregnation solution is added to the layer 102 ("coloration pad") the strips were slit into 0.2 inch (~5mm) strips in preparation for assembly. Anaokar et al is silent that the surface area of the coloration pad is 2.0~15mmx2.0~15mm wherein the specific region accounted for the respective coloration pads is no more than 2.0mm².

Iwata et al teach a test device and method of producing the device for a multi-items where in all the test papers for all items for one test are wetted by one shot dropping and transportation of a detecting part or a test device is not required upon measurement. The reaction zone for the horizontal line is preferably 8mm to 2cm and the vertical line is preferably 4 to 10mm. The diameter of the micro test papers ("coloration pads") is being 0.5 mm ("wherein the surface area of the specific region

accounted for by the respective coloration pads is no more than 2.0 mm^2) (Para. 0082 and 0084). It would have been desirable to have the dimensions of the total surface area of the reaction zone and the micro test papers ("coloration pads") within this range because having the micro test papers size too large, it becomes difficult to wet the test papers for the whole items by one shot dropping of the sample (Para. 0084).

Therefore it would have been obvious to one of ordinary skill in the art to provide Gibson et al device with the dimension of the surface area of the region of the reaction zones or region ("the plurality of coloration pads") within $2.0\text{-}15 \text{ mm} \times 2.0\text{-}15 \text{ mm}$ and wherein the surface area of the specific region accounted for by the respective coloration pads is no more than 2.0 mm^2 because it provides the above advantages of one shot dropping of the sample.

Regarding claim 19, Anaokar/Goerlach-Graw teach the disbursement layer 38 is exposed by window 32 ("non-laminated") in which the sample can be applied as well as not completely covered by the blood separation layer (Fig. 6: 110 does not fully cover layer 38).

Response to Arguments

11. Applicant's arguments with respect to claims 1-3, 5-7, 9-19 have been considered but are moot in view of the new ground(s) of rejection.

12. Applicant's arguments filed 3/25/2010 have been fully considered but they are not persuasive. Applicants argue that the finality of the present office action filed in response to the amendment and RCE on August 12, 2009 is improper because the

claims are not drawn to the same invention. It is noted that the claims were amended, but were directed at the same invention and therefore the finality was proper.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DENNIS M. WHITE whose telephone number is (571)270-3747. The examiner can normally be reached on Monday-Thursday, EST 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/LYLE A ALEXANDER/
Primary Examiner, Art Unit 1797
/dmw/